Docket No.: 510.1073

Date: August 15, 2006

FÖRM PTO-1083

CERTIFICATE OF CORRECTION BRANCH

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

In re application of:

Thomas BEISSWENGER

Serial No.:

10/613,557

Filed:

July 3, 2003

For:

MEMBRANE MODULE FOR HYDROGEN SEPARATION

AUG 1 8 2006

Sir:

Transmitted herewith is a Request for a Certificate of Correction (1 page) and a Certificate of Correction (1 page) in the above-identified application.

[] Small entity status under 37 C.F.R. 1.9 and 1.27 has been previously established.

[] Applicants assert small entity status under 37 C.F.R. 1.9 and 1.27.

[X] No fee for additional claims is required.

A filing fee for additional claims calculated as shown below, is required:

	(Col. 1)	(Col. 2)	_	
FOR:	REMAINING	HIGHEST		
	AFTER	PREVIOUSLY	PRESENT	
	AMENDMENT	PAID FOR	EXTRA	
TOTAL CLAIMS	* Minus	20 =	0	
INDEP. CLAIMS	* Minus	3 =	0	
FIRST PRESENTATION OF MULTIPLE DEP. CLAIM				

SMALL ENTITY RATE FEE	<u>OR</u>	RATE FEE
x \$ 9 \$ x \$ 44 \$ + \$150 \$		x \$ 18 \$ x \$ 88 \$ + \$300 \$
TOTAL · \$	OR	TOTAL: \$

* If the entry in Co. 1 is less than the entry in Col. 2, write "0" in Col. 3.

** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 20, write "20" in this space.

*** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 3, write "3" in this space.

[] Also transmitted herewith are:

[] Petition for extension under 37 C.F.R. 1.136

[] Other:

[] Check(s) in the amount of \$0.00 is/are attached to cover:

[] Filing fee for additional claims under 37 C.F.R. 1.16

[] Petition fee for extension under 37 C.F.R. 1.136

[] Other:

Certificate

AUG 2 3 2006

AUG Z 3 2000

[X] The Assistant Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 50-0552.

[X] Any filing fee under 37 C.F.R. 1.16 for the presentation of additional claims which are not paid by check submitted herewith.

[X] Any patent application processing fees under 37 C.F.R. 1.17.

[X] Any petition fees for extension under 37 C.F.R. 1.136 which are not paid by check submitted herewith, and it is hereby requested that this be a petition for an automatic extension of time under 37 CFR

1.136.

Morey B. Wildes, Reg. No. 36,968
DAVIDSON, DAVIDSON & KAPPEL, LLC

485 Seventh Avenue, 14th Floor New York, New York 10018

Tel: (212) 736-1940 Fax: (212) 736-2427

I hereby certify that the documents referred to as attached therein and/or fee are being deposited with the United Sates Postal Service as "first class mail" with sufficient postage in an envelope addressed to "Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, 13-13-150" on August 15, 2006.

Oliver Platz

DAVIDSON DAVIDSON

AUG 24 2005



Atty. Docket No.: 510.1073

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Re:

Application of:

Thomas BEISSWENGER, et al.

Application Serial No.:

10/613,557

Filed:

July 3, 2003

U.S. Patent No.:

7,056,369 B2

For:

MEMBRANE MODULE FOR HYDROGEN

SEPARATION

Examiner:

Robert H. SPITZER

Group Art Unit: 1724

Customer No.:

23280

Certificate of Correction Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450 August 15, 2006

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. §1.322

Sir:

Patentees hereby submit and respectfully request expedited issuance of a Certificate of Correction under 37 C.F.R. §1.322.

Claim 13, in column 11, line 13 should read "inner edge of the membrane frame, the <u>channel</u> being accessible for" instead of "inner edge of the membrane frame, the being accessible for". The correct claims were presented to the USPTO in an amendment dated 08/04/05 and again in the appeal brief dated 11/08/05. This error occurred through the fault of the USPTO and not applicants. Accordingly, pursuant to MPEP §1480.01, applicants request expedited granting of this request.

If any fees are deemed necessary in connection with this request the Commissioner is hereby authorized to charge payment of such fees to Deposit Account No. 50-0552.

Respectfully submitted,

DAVIDSON, DAVIDSON & KAPPEL, LLC

By: _

Morey B. Wildes, Reg. No. 36,968

Davidson, Davidson & Kappel, LLC 485 Seventh Avenue, 14th Floor New York, New York 10018 (212) 736-1940

AUG 24 ZUU6

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO: 7,056,369 B2

DATED: June 6, 2006

INVENTOR(S): Thomas BEISSWENGER, Gerhard BERGER, Thomas POSCHMANN, Karsten REINERS, Wolfgang

WEGER, Norbert WIESHEU

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 11, line 13 should read "inner edge of the membrane frame, the channel being accessible for" instead of "inner edge of the membrane frame, the being accessible for".

MAILING ADDRESS OF SENDER:

DAVIDSON, DAVIDSON & KAPPEL, LLC 485 Seventh Avenue New York, NY 10021 PATENT NO. 7,056,369

No. of additional copies



10

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.